Material Data Declaration Sheet - v003

Schema Database Version: IEC 62474 X6.01 Substance Database Version: IEC 62474 D14.00



Supplier Information

Company Name *	Intel Corporation
Response Document ID	28953
Company Unique ID	047897855
Unique ID Authority	
Response Date *	2017-11-27

Contact Name *	Marquez, David M
Contact Title *	Intel Product Ecology
Contact Phone *	1-800-628-8686
Contact Email *	productecology@intel.com

Supplier Comments http://qdms.intel.com - Intel certifies that it gathered the provided information and such information is true and correct to the best of its knowledge and belief, as of the date that Intel completes this form. Intel acknowledges that Customer will rely on this certification in determining the compliance of its products. Customer acknowledges that Intel may have relied on information provided by others in completing this form, and that Intel may not have independently verified such information. However, in situations where Intel has not independently verified information provided by others, Intel agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Customer and the Intel enter into a written agreement with respect to the identified part(s), the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Intel's liability and the Customer's remedies for issues that arise regarding information the Intel provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Intel's Standard Terms and Conditions of Sale applicable to such part shall apply.

Product(s)

Product Family Name: P4510S080T

Requester Item						
Number	Item Number *	Description	Effective Date *	Mass *	UoM*	Comment
	SSDPE2KX0x0T8xx95939	SSDPE2KX0x0T8xx9				
	x 1	5939x	2017-11-27	138.0000	g	
	SSDPE2KX0x0T8xx95939	SSDPE2KX0x0T8xx9				
	x 2	5939x	2017-11-27	1380.0000	g	
	SSDPE2KX0x0T8xx95939	SSDPE2KX0x0T8xx9				
	x 3	5939x	2017-11-27	133.0000	g	
	SSDPE2KX0x0T8xx95939	SSDPE2KX0x0T8xx9				
Product Part(s)	x 4	5939x	2017-11-27	1330.0000	g	
				% of Product		
ID*	Description	Effective Date*	Units*	Mass	Comment	
IC-VOLTAGE-REG 5	IC-VOLTAGE-REG	2017-11-27	1	0.036754]
Other Items 1	Other Items	2017-11-27	1	99.96320]

Declaration

PVC	This product does not contain PVC	True
SVHC	Product Contains REACh SVHC above .1% of article	False
RoHS.Exempt	Product meets EU ROHS Requirements by application of the Selected exemptions	True

Exemptions

	Lead in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or	
EL2011/534/EU	more lead)	7(a)

Signature

Intel Product Ecology

C=US, E=productecology@intel.com, OU="", O=Intel Corporation, CN=Intel Product Ecology

Part ID	Description	# of Units	Part Mass %	
IC-VOLTAGE-REG 5	IC-VOLTAGE-REG		1	0.036754

RoHS

Homogenous Material Name	Material Class ID	HM Mass %	Substance Group	Reportable Application			Substance Mass % of HM	Exemption	Comments
Attach Adhesive	M-009	6.062	Lead/Lead Compounds	All, except for: 1. batteri	e0.1 mass% of total Pb	true	95.000	7(a)	
			Cadmium/Cadmium com	n All, except batteries	0.01 mass% of total C	false			
			Chromium (VI) Compour	n(All	0.1 mass% of total Cr-	+false			
			Mercury/Mercury Comp	c All, except batteries	Intentionally Added o	false			
			Polybrominated Bipheny	/I All	0.1 mass% in homoge	false			
			Polybrominated Dipheny	ylAll	0.1 mass% in homoge	false			

Low Halogen

Homogenous Material Name	Material Class ID	HM Mass %	Substance Group	Reportable Application		Above Threshold? (T/F)	Substance Mass % of HM Comments
			Brominated flame ret	ard: Plastic materials except p	0.1 mass% of bromine	false	
			Brominated flame retard; Printed wiring board lami;0.09 mass% total bronfalse				
			Chlorinated Flame Re	tard Printed Wiring Board (PV	0.09 mass% total chlo	false	
			Chlorinated Flame Retard Plastic materials except pi0.1 mass% chlorine in false				
	M-012		PVC			false	

Other Declarable Substances

	Cultatoria	CAC #		Deventing Threehold	Above Threshold?	Substance Mass (% of	C
Substance Group	Substance red and linear, ethoxylated	CAS #	Reportable Application	0.1 mass% of article	(T/F) false	Article) 0.0000	Comments
	o (Short Chain Chlorinated	Daraffing)	All	Intentionally added or 0.		0.0000	
Aluminosilicate Refrac		raiaiiiisj	All	0.1 mass% of article	false	0.0000	
Asbestos	tory Ceramic Fibres		All	Intentionally added	false	0.0000	
Cadmium/Cadmium co	mounds		Batteries	0.001% by weight of batt		0.0000	
Dibutyltin (DBT) comp			All	0.1 mass% of tin in the p		0.0000	
Dioctyltin (DOT) comp				tiO.1 mass% of tin in the p		0.0000	
Disodium tetraborates			All	0.1 mass% of article	false	0.0000	
	se Gases (PFC, SF6, HFC)		All	Intentionally Added	false	0.0000	
				/		0.0000	
	cane (HBCDD) and all major	diastereoisomers	All	Intentionally added or 0. 0.1 mass% of article	false	0.0000	
Hexahydromethylphth			Batteries		false	0.0000	
Lead/Lead Compounds				0.004 mass% of battery	false	0.0000	
<u> </u>			Consumer products desig				
Mercury/Mercury Con			Batteries	Intentionally added or 0.		0.0000	
Nickel/Nickel Compou			All, where prolonged ski	,	false	0.0000	
	pic acid (PFDA) and its sodiu			0.1 mass% of article	false	0.0000	
	ances (CFC, Halon, HBFC, H	CFC & others)	All	Intentionally Added	false	0.0000	
Perchlorates	1		All	6 x 10 ^-7 mass% of batt		0.0000	
	phonic acid and its salts		All	0.1 mass% of article	false	0.0000	
	acid and its sodium and am		All	0.1 mass% of article	false	0.0000	
	nyls (PCBs) and specific sub	stitutes	All	Intentionally added	false	0.0000	
Polychlorinated Napht			All	Intentionally added	false	0.0000	
Radioactive substance	-		All	Intentionally added	false	0.0000	
Tri-substituted organo			All	Intentionally added or 0.		0.0000	
Zirconia Aluminosilicat	e Refractory Ceramic Fibre	5	All	0.1 mass% of article	false	0.0000	

[Phthalato(2-)]dioxotrileac69011-06-9	All 0.1 mass% of article false	0.0000
1,2-benzenedicarboxylic a 68515-51-5, 68		0.0000
1,2-Benzenedicarboxylic a 71888-89-6	All 0.1 mass% of article false	0.0000
1,2-Benzenedicarboxylic a 68515-42-4	All 0.1 mass% of article false	0.0000
1,2-Benzenedicarboxylic a 68515-50-4	All 0.1 mass% of article false	0.0000
1,2-Benzenedicarboxylic a 84777-06-0	All 0.1 mass% of article false	0.0000
1,2-bis(2-methoxyethoxy):112-49-2	All 0.1 mass% of article false	0.0000
1,2-Diethoxyethane 629-14-1	All 0.1 mass% of article false	0.0000
1,2-dimethoxyethane; eth 110-71-4	All 0.1 mass% of article false	0.0000
1,3-propanesultone 1120-71-4	All 0.1 mass% of article false	0.0000
2-(2H-benzotriazol-2-yl)-4-36437-37-3	All 0.1 mass% of article false	0.0000
2-(2H-benzotriazol-2-yl)-4,25973-55-1	All 0.1 mass% of article false	0.0000
2,4-di-tert-butyl-6-(5-chloi3864-99-1	All 0.1 mass% of article false	0.0000
2-benzotriazol-2-yl-4,6-di- 3846-71-7	All Intentionally added or 0.1false	0.0000
2-ethylhexyl 10-ethyl-4,4-(15571-58-1	All 0.1 mass% of article false All 0.1 mass% of article false	0.0000
4-(1,1,3,3-tetramethylbut)140-66-9		0.0000
4,4'-isopropylidenediphen80-05-7	All Intentionally added or 0.1false	0.0000
4-Aminoazobenzene 60-09-3	All 0.1 mass% of article false All 0.1 mass% of article false	0.0000
Ammonium pentadecaflu(3825-26-1 Benzenamine, N-phenyl-, 168921-45-9	All 0.1 mass% of article false All Intentionally added false	0.0000
	·····	
Benzo[a]anthracene 56-55-3	Rubber or plastic parts of 0.00005 mass% of the plastalse	0.0000
Benzo[a]anthracene 56-55-3	Rubber or plastic parts th 0.0001 mass% of the plasifalse	0.0000
Benzo[a]pyrene 50-32-8 Benzo[a]pyrene 50-32-8	Rubber or plastic parts of 0.00005 mass% of the pla false Rubber or plastic parts th 0.0001 mass% of the plasifalse	0.0000
Benzo[a]pyrene 50-32-8 Benzo[b]fluoranthene 205-99-2		0.0000
	Rubber or plastic parts of 0.00005 mass% of the pla false	0.0000
Benzo[b]fluoranthene 205-99-2 Benzo[def]chrysene 50-32-8	Rubber or plastic parts th 0.0001 mass% of the plasifalse All 0.1 mass% of article false	0.0000
Benzolderjchrysene 50-32-8 Benzolelpyrene 192-97-2	Rubber or plastic parts of 0.00005 mass% of the pla false	0.0000
	Rubber or plastic parts of 0.00005 mass% of the plastalse	0.0000
Benzo[e]pyrene 192-97-2 Benzo[i]fluoranthene 205-82-3	Rubber or plastic parts th 0.0001 mass% of the plastfalse	0.0000
Benzo[j]fluoranthene 205-82-3	Rubber or plastic parts of 0.00005 mass% of the plastaise	0.0000
Benzo[k]fluoranthene 207-08-9	Rubber or plastic parts th 0.0001 mass% of the plastifalse	0.0000
Benzo[k]fluoranthene 207-08-9	Rubber or plastic parts of 0.00005 mass% of the plastaise	0.0000
Benzyl butyl phthalate (BE85-68-7	All 0.1 mass% in homogenou false	0.0000
Beryllium Oxide 1304-56-9	All 0.1 mass% in homogeneou faise	0.0000
Bis (2-ethylhexyl)phthalat(117-81-7	All 0.1 mass% in homogenou false	0.0000
Bis(2-methoxyethyl) ether 111-96-6	All 0.1 mass% of article false	0.0000
Bis(2-methoxyethyl) phth:117-82-8	All 0.1 mass/ of article false	0.0000
Bis(pentabromophenyl) et 1163-19-5	All 0.1 mass% of article false	0.0000
Bis(tributyltin) oxide (TBT(56-35-9	All Intentionally added or 0.1 false	0.0000
Boric Acid 10043-35-3, 11	,	0.0000
Cadmium 7440-43-9	All 0.1 mass% of article false	0.0000
Cadmium oxide 1306-19-0	All 0.1 mass% of article false	0.0000
Cadmium sulphide 1306-23-6	All 0.1 mass% of article false	0.0000
Chrysen 218-01-9	Rubber or plastic parts of 0.00005 mass% of the pla false	0.0000
Chrysen 218-01-9	Rubber or plastic parts th 0.0001 mass% of the plastfalse	0.0000
Cobalt dichloride 7646-79-9	All 0.1 mass% of article false	0.0000
Diarsenic pentoxide 1303-28-2	All 0.1 mass% of article false	0.0000
Diarsenic trioxide 1327-53-3	All 0.1 mass% of article false	0.0000
Dibenzo[a,h]anthracene 53-70-3	Rubber or plastic parts th 0.0001 mass% of the plasifalse	0.0000
Dibenzo[a,h]anthracene 53-70-3	Rubber or plastic parts of 0.00005 mass% of the pla false	0.0000
Diboron trioxide 1303-86-2	All 0.1 mass% of article false	0.0000
Dibutyl phthalate (DBP) 84-74-2	All 0.1 mass% in homogenou false	0.0000
Dibutyltin dichloride (DBT/683-18-1	All 0.1 mass% of article false	0.0000
Diisobutyl phthalate 84-69-5	All 0.1 mass% in homogenou false	0.0000
Di-isodecyl phthalate (DID 68515-49-1, 26		0.0000
Diisononyl phthalate (DIN/28553-12-0, 68		0.0000

Diisopentylphthalate 605-50			false 0.0000
Dimethyl Fumarate (DMF) 624-49		0.00001 mass% of the pat	
Di-n-hexyl Phthalate (DnH 84-75-		Intentionally added or 0.11	
Dioxobis(stearato)trilead 12578-			false 0.0000
Dipentyl phthalate (DPP) 131-18			false 0.0000
Disodium 3,3'-[[1,1'-biphe 573-58			false 0.0000
Disodium 4-amino-3-[[4'-[1937-3			false 0.0000
Fatty acids, C16-18, lead s 91031-			false 0.0000
Formaldehyde 50-00-0	0 Textiles	0.0075 mass % of textile f	false 0.0000
Imidazolidine-2-thione; (2.96-45-			false 0.0000
Lead chromate 7758-9			false 0.0000
Lead chromate molybdate12656-			false 0.0000
Lead cyanamidate 20837-	-86-9 All	0.1 mass% of article f	false 0.0000
Lead dinitrate 10099-	-		false 0.0000
Lead oxide sulfate 12036-			false 0.0000
Lead sulfochromate yellov 1344-3	7-2 All	0.1 mass% of article f	false 0.0000
Lead titanium trioxide 12060-	-00-3 All	0.1 mass% of article f	false 0.0000
Lead titanium zirconium o 12626-	-		false 0.0000
N,N-dimethylformamide 68-12-2			false 0.0000
N-pentyl-isopentylphthala 776297		0.1 mass% of article f	false 0.0000
Orange lead (lead tetroxid1314-4			false 0.0000
Pentadecafluorooctanoic ;335-67	'-1 All	0.1 mass% of article f	false 0.0000
Pentalead tetraoxide sulpl12065-			false 0.0000
Pentazinc chromate octah 49663-			false 0.0000
Potassium hydroxyoctaox(11103-		0.1 mass% of article	false 0.0000
Pyrochlore, antimony lead8012-0	0-8 All	0.1 mass% of article f	false 0.0000
reaction mass of 2-ethylhexyl 10-	ethyl-4,4-All	0.1 mass% of article f	false 0.0000
Silicic acid (H2Si2O5), bari 68784-		0.1 mass% of article	false 0.0000
Strontium chromate 7789-0	-	0.1 mass% of article f	false 0.0000
Sulfurous acid, lead salt, d 62229-			false 0.0000
Tetralead trioxide sulphat 12202-	-17-4 All	0.1 mass% of article f	false 0.0000
Trilead dioxide phosphona12141-	20-7 All	0.1 mass% of article	false 0.0000
Tris(2-chloroethyl)phosph 115-96	-8 All	0.1 mass% of article	false 0.0000
Trixylyl phosphate 25155-		0.1 mass% of article	false 0.0000

Part ID	Description	# of Units	Part Mass %	
Other Items 1	Other Items		1	99.96320

RoHS

Homogenous Material Name	Material Class ID	HM Mass %	Substance Group	Reportable Application	Above Threshold Reporting Threshold (T/F)	? Substance Mass % of HM Exemption	Comments
			Cadmium/Cadmium com	IAll, except batteries	0.01 mass% of total C(false		
			Chromium (VI) Compour	nAll	0.1 mass% of total Cr+false		
			Lead/Lead Compounds	All, except for: 1. batteri	e0.1 mass% of total Pb false		
			Mercury/Mercury Comp	c All, except batteries	Intentionally Added orfalse		
			Polybrominated Bipheny	/I All	0.1 mass% in homoge false		
			Polybrominated Dipheny	/IAII	0.1 mass% in homoge false		

Low Halogen

Homogenous Material Name	Material Class ID	HM Mass %	Substance Group	Reportable Application		Above Threshold? (T/F)	Substance Mass % of HM Comments	
			Brominated flame retain	ard: Plastic materials except p	0.1 mass% of bromine	false		
			Brominated flame retain	ard; Printed wiring board lam	ii0.09 mass% total bror	false		
			Chlorinated Flame Ret	tard Plastic materials except p	0.1 mass% chlorine in	false		
			Chlorinated Flame Retard Printed Wiring Board (PW0.09 mass% total chlo false					
	M-012		PVC			false		

Other Declarable Substances

Substance Group Substance	CAS #	Reportable Application	Penarting Threshold	Above Threshold? (T/F)	Substance Mass (% of Article)	Comments
4-Nonylphenol, branched and linear, ethoxylated	CAS #	All	0.1 mass% of article	false	Articlej	comments
Alkanes, C10-13, chloro (Short Chain Chlorinated Par	raffins)	All	Intentionally added or 0.2			
Aluminosilicate Refractory Ceramic Fibres	unnisj	All	0.1 mass% of article	false		
Asbestos		All	Intentionally added	false		
Cadmium/Cadmium compounds		Batteries	0.001% by weight of batt			
Dibutyltin (DBT) compounds		All	0.1 mass% of tin in the pa			
Dioctyltin (DOT) compounds		(a) textile and leather art	i0.1 mass% of tin in the pa			
Disodium tetraborates		All	0.1 mass% of article	false		
Fluorinated Greenhouse Gases (PFC, SF6, HFC)		All	Intentionally Added	false		
Hexabromocyclododecane (HBCDD) and all major di	astereoisomers	All	Intentionally added or 0.0	Ofalse		
Hexahydromethylphthalic anhydride		All	0.1 mass% of article	false		
Lead/Lead Compounds		Batteries	0.004 mass% of battery	false		
Lead/Lead Compounds		Consumer products desig	g0.01 mass%	false		
Mercury/Mercury Compounds		Batteries	Intentionally added or 0.0	Ofalse		
Nickel/Nickel Compounds		All, where prolonged skir	Intentionally Added	false		
Nonadecafluorodecanoic acid (PFDA) and its sodium	and ammonium	All	0.1 mass% of article	false		
Ozone Depleting Substances (CFC, Halon, HBFC, HCF	C & others)	All	Intentionally Added	false		
Perchlorates		All	6 x 10 ^-7 mass% of batte	e false		
Perfluorohexane-1-sulphonic acid and its salts		All	0.1 mass% of article	false		
Perfluorononan-1-oic-acid and its sodium and ammo	onium salts	All	0.1 mass% of article	false		
Polychlorinated Biphenyls (PCBs) and specific substit	utes	All	Intentionally added	false		
Polychlorinated Naphthalenes (PCNs)		All	Intentionally added	false		
Radioactive substances		All	Intentionally added	false		
Tri-substituted organostannic compounds		All	Intentionally added or 0.2	1 false		
Zirconia Aluminosilicate Refractory Ceramic Fibres		All	0.1 mass% of article	false		

	0044.00.0		Color.	0.0000
[Phthalato(2-)]dioxotrileace		Heat stabilizer for plastic: 0.1 mass% of article	false	0.0000
		Plasticisers, lubricants, ac 0.1 mass% of article	false	0.0000
1,2-Benzenedicarboxylic a 7		Plasticizer, dye, pigment, 0.1 mass% of article	false	0.0000
1,2-Benzenedicarboxylic a 6		Plasticizer, dye, pigment, 0.1 mass% of article	false	0.0000
1,2-Benzenedicarboxylic a 6		Used as a plasticizer for c 0.1 mass% of article	false	0.0000
1,2-Benzenedicarboxylic a 8		Plasticizer in plastic mate 0.1 mass% of article	false	0.0000
1,2-bis(2-methoxyethoxy)		Solvent may be used in b:0.1 mass% of article	false	0.0000
	529-14-1	Solvent used in electrolyt 0.1 mass% of article	false	0.0000
1,2-dimethoxyethane; eth 1		Solvent used in battery el0.1 mass% of article	false	0.0000
1,3-propanesultone 1	1120-71-4	Electrolyte fluid of rechar 0.1 mass% of article	false	0.0000
2-(2H-benzotriazol-2-yl)-4 3		UV stabilizer 0.1 mass% of article	false	0.0000
2-(2H-benzotriazol-2-yl)-4,2	25973-55-1	UV stabilizer 0.1 mass% of article	false	0.0000
2,4-di-tert-butyl-6-(5-chloi3	3864-99-1	UV stabilizer 0.1 mass% of article	false	0.0000
2-benzotriazol-2-yl-4,6-di-3	3846-71-7	UV-stabilizer in adhesives Intentionally added or	0.1false	0.0000
2-ethylhexyl 10-ethyl-4,4-(1	15571-58-1	PVC stabilizer 0.1 mass% of article	false	0.0000
4-(1,1,3,3-tetramethylbut)	140-66-9	Unreacted process chemi 0.1 mass% of article	false	0.0000
4,4'-isopropylidenediphen8	30-05-7	Antioxidant for plasticizer Intentionally added or	0.1false	0.0000
	50-09-3	Used as yellow pigment a 0.1 mass% of article	false	0.0000
Ammonium pentadecafluca		APFO is used as an emuls 0.1 mass% of article	false	0.0000
Benzenamine, N-phenyl-, 16		Lubricating agent in motc Intentionally added	false	0.0000
	56-55-3	Impurities in carbon black 0.00005 mass% of the		0.0000
	56-55-3	Impurities in carbon black 0.0001 mass% of the p		0.0000
	50-32-8	Impurities in carbon black 0.0001 mass% of the p		0.0000
	50-32-8	Impurities in carbon black 0.00005 mass% of the		0.0000
	205-99-2	Impurities in carbon black 0.00005 mass% of the		0.0000
	205-99-2	Impurities in carbon black 0.00003 mass% of the p		0.0000
	50-32-8	Impurities in carbon blact0.0001 mass% of article	false	0.0000
	192-97-2	•		0.0000
		Impurities in carbon black 0.0001 mass% of the p		
	192-97-2	Impurities in carbon black 0.00005 mass% of the		0.0000
	205-82-3 205-82-3	Impurities in carbon black 0.00005 mass% of the		0.0000
		Impurities in carbon black 0.0001 mass% of the p		
	207-08-9	Impurities in carbon blacl 0.00005 mass% of the		0.0000
	207-08-9	Impurities in carbon blacl 0.0001 mass% of the p		0.0000
Benzyl butyl phthalate (BBE		Plasticizer, dye, pigment, 0.1 mass% in homoger		0.0000
	1304-56-9	Ceramics 0.1 mass%	false	0.0000
Bis (2-ethylhexyl)phthalat(1		Plasticizer, dye, pigment, 0.1 mass% in homogen		0.0000
Bis(2-methoxyethyl) ether 1		Electrolyte in lithium batt 0.1 mass% of article	false	0.0000
Bis(2-methoxyethyl) phtha		Plasticizer 0.1 mass% of article	false	0.0000
Bis(pentabromophenyl) et 1	1163-19-5	Flame retardant 0.1 mass% of article	false	0.0000
Bis(tributyltin) oxide (TBT(5		Antiseptic, antifungal age Intentionally added or		0.0000
	,	In wood veneers/ pressec0.1 mass% of article	false	0.0000
Cadmium 7	7440-43-9	Pigments, anti-corrosion :0.1 mass% of article	false	0.0000
Cadmium oxide 1	1306-19-0	Relay contact; photodiod 0.1 mass% of article	false	0.0000
Cadmium sulphide 1	1306-23-6	Used in photo-resistors, s0.1 mass% of article	false	0.0000
Chrysen 2	218-01-9	Impurities in carbon blacl 0.00005 mass% of the	pla false	0.0000
Chrysen 2	218-01-9	Impurities in carbon blacl 0.0001 mass% of the p	lastfalse	0.0000
	7646-79-9	Pneumatic panels to indic0.1 mass% of article	false	0.0000
	1303-28-2	Additive in wood, metal, 10.1 mass% of article	false	0.0000
	1327-53-3	Additive in wood, metal, 10.1 mass% of article	false	0.0000
	53-70-3	Impurities in carbon black 0.00005 mass% of the		0.0000
		Impurities in carbon black 0.0001 mass% of the p		0.0000
	1303-86-2	Found in wood veneers, £0.1 mass% of article	false	0.0000
	34-74-2	Plasticizer, dye, pigment, 0.1 mass% in homoger		0.0000
Dibutyl pritrialate (DBF)		Ingredient in some paint 10.1 mass% of article	false	0.0000
	34-69-5	Plasticizer, dye, pigment, 0.1 mass% of article		0.0000
, ,		Plasticizer, dye, pigment, Intentionally added	false	0.0000
		Used as a plasticizer for P Intentionally added	false	0.0000
	20000-12-0, 085	used as a plasticizer for Plintentionally added	Taise	0.0000

Dimethyl Fumarate (DMF) 624-49-7Biocide, mold prevention 0.00001 mass% of the pa false0.0000Din-hexyl Phthalate (DnH 84-75-3Plasticizer, dye, pigment, Intentionally added or 0.1 false0.0000Dioxobis(stearato)trilead 12578-12-0Heat stabilizer for plastic: 0.1 mass% of articlefalse0.0000Dipentyl phthalate (DPP)131-18-0Plasticizer in PVC and nitr 0.1 mass% of articlefalse0.0000Disodium 3,3'-[[1,1'-biphe 573-58-0Dye for textiles and pape:0.1 mass% of articlefalse0.0000Disodium 4-amino-3-[[4'-[1937-37-7Used in ink for printers0.1 mass% of articlefalse0.0000Fatty acids, C16-18, lead s 91031-62-8Heat stabilizer for plastic: 0.1 mass% of articlefalse0.0000Formaldehyde50-00-0Textiles0.0075 mass% of articlefalse0.0000Imidazolidine-2-thione; (2 96-45-7used as a catalyst in some 0.1 mass% of articlefalse0.0000Lead chromate7758-97-6Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead chromate20837-86-9Used in anticorrosion coa0.1 mass% of articlefalse0.0000Lead dinitrate10099-74-8Heat stabilizer for PVC us 0.1 mass% of articlefalse0.0000Lead sulfact12066-76-9Heat stabilizer for PVC us 0.1 mass% of articlefalse0.0000Lead sulfochromate yellov 1344-37-2Colorant in plastic; Color0.1 mass% of articlefalse0.0000Lead sulfact12066-76-9Heat stabilizer for PVC us 0.1 mass% of articlefalse0.0000 <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>						
Di-n-hexyl Phthalate (DnH 84-75-3Plasticizer, dye, pigment, Intentionally added or 0.1false0.0000Dioxobis/stearat0}trilead 12578-12-0Heat stabilizer for plastic:0.1 mass% of articlefalse0.0000Dipentyl phthalate (DPP) 131-18-0Plasticizer in PVC and nitr 0.1 mass% of articlefalse0.0000Disodium 3,3'-[[1,1-biphe 573-58-0Dye for textiles and pape:0.1 mass% of articlefalse0.0000Disodium 4-amino-3-[[4'-[1937-37-7Used in ink for printers0.1 mass% of articlefalse0.0000Fatty acids, C16-18, lead s 91031-62-8Heat stabilizer for plastic:0.1 mass% of articlefalse0.0000Formaldehyde50-00-0Textiles0.0075 mass % of textilefalse0.0000Imidazolidine-2-thione; (2 96-45-7used as a catalyst in som 0.1 mass% of articlefalse0.0000Lead chromate7758-97-6Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead chromate20837-86-9Used in anticorrosion coa0.1 mass% of articlefalse0.0000Lead wintrate10099-74-8Heat stabilizer for PVC us 0.1 mass% of articlefalse0.0000Lead sulfochromate yellov1344-37-2Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead sulfochromate yellov1344-37-2Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead titanium trioxide12060-00-3In piezoelectric compone 0.1 mass% of articlefalse0.0000Lead titanium trioxide12060-00-3In piezoelectric compone 0.1 mass% of articlefalse <td< td=""><td>Diisopentylphthalate</td><td>605-50-5</td><td></td><td></td><td>false</td><td>0.0000</td></td<>	Diisopentylphthalate	605-50-5			false	0.0000
Dioxobis(stearato)trilead 12578-12-0Heat stabilizer for plastic:0.1 mass% of articlefalse0.0000Dipentyl phthalate (DPP)131-18-0Plasticizer in PVC and nitr 0.1 mass% of articlefalse0.0000Disodium 3,3'-[[1,1'-biphe 573-58-0Dye for textiles and pape:0.1 mass% of articlefalse0.0000Disodium 4-amino-3-[[4'-[1937-37-7Used in ink for printers0.1 mass% of articlefalse0.0000Fatty acids, C16-18, lead s 91031-62-8Heat stabilizer for plastic:0.1 mass% of articlefalse0.0000Formaldehyde50-00-0Textiles0.0075 mass % of articlefalse0.0000Imidazolidine-2-thione; [2 96-45-7used as a catalyst in some0.1 mass% of articlefalse0.0000Lead chromate7758-97-6Colorant in plastics; Color0.1 mass% of articlefalse0.0000Lead chromate molybdate 12656-85-8Colorant in plastics; Color0.1 mass% of articlefalse0.0000Lead chromate travelybate 12656-85-9Used in anticorrosion coa 0.1 mass% of articlefalse0.0000Lead dinitrate10099-74-8Heat stabilizer for PVC us 0.1 mass% of articlefalse0.0000Lead sulfochromate yellov1344-37-2Colorant in plastics; Color0.1 mass% of articlefalse0.0000Lead sulfochromate yellov1344-37-2Colorant in plastics; Color0.1 mass% of articlefalse0.0000Lead titanium trioxidu12060-00-3In piezoelectric compone 0.1 mass% of articlefalse0.0000Lead titanium trioxidu12060-00-3In piezoelectric compone 0.1 mass% of article<		<u>,</u>				
Dipentyl phthalate (DPP)131-18-0Plasticizer in PVC and nitr 0.1 mass% of articlefalse0.0000Disodium 3,3'-[[1,1'-biphe 573-58-0Dye for textiles and pape 0.1 mass% of articlefalse0.0000Disodium 4-amino-3-[[4'-[1937-37-7Used in ink for printers0.1 mass% of articlefalse0.0000Fatty acids, C16-18, leads 91031-62-8Heat stabilizer for plastic: 0.1 mass% of articlefalse0.0000Formaldehyde50-00-0Textiles0.0075 mass % of textilefalse0.0000Imidazolidine-2-thione; (2 96-45-7used as a catalyst in som 0.1 mass% of articlefalse0.0000Lead chromate7758-97-6Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead chromate20837-86-9Used in anticorrosion coa 0.1 mass% of articlefalse0.0000Lead dinitrate10099-74-8Heat stabilizer in nylon ar 0.1 mass% of articlefalse0.0000Lead dinitrate10099-74-8Heat stabilizer for PVC us 0.1 mass% of articlefalse0.0000Lead sulfate12060-00-3In plastics; Color 0.1 mass% of articlefalse0.0000Lead sulfachromate yellov 1344-37-2Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead titanium trioxide12060-00-3In piezoelectric compone 0.1 mass% of articlefalse0.0000Lead titanium zirconium o 12626-81-2In piezoelectric compone 0.1 mass% of articlefalse0.0000N,N-dimethylformamide68-12-2Used as a electrolyte in ele 0.1 mass% of articlefalse <t< td=""><td>, , , , , , , , , , , , , , , , , , ,</td><td></td><td></td><td></td><td></td><td></td></t<>	, , , , , , , , , , , , , , , , , , ,					
Disodium 3,3'-[[1,1'-biphe 573-58-0Dye for textiles and pape 0.1 mass% of articlefalse0.0000Disodium 4-amino-3-[[4'-[1937-37-7Used in ink for printers0.1 mass% of articlefalse0.0000Fatty acids, C16-18, lead s 91031-62-8Heat stabilizer for plastic:0.1 mass% of articlefalse0.0000Formaldehyde50-00-0Textiles0.0075 mass % of textilefalse0.0000Imidazolidine-2-thione; (2 96-45-7used as a catalyst in som 0.1 mass% of articlefalse0.0000Lead chromate7758-97-6Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead chromate molybdate 12656-85-8Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead chromate wolybdate 12656-85-8Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead dinitrate10099-74-8Heat stabilizer for PVC us 0.1 mass% of articlefalse0.0000Lead sulfacte12036-76-9Heat stabilizer for PVC us 0.1 mass% of articlefalse0.0000Lead sulfochromate yellov1344-37-2Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead titanium trioxide12060-00-3In piezoelectric compone 0.1 mass% of articlefalse0.0000Lead titanium zirconium o 12626-81-2In piezoelectric compone 0.1 mass% of articlefalse0.0000N,N-dimethylformamide68-12-2Used as electrolyte in ele 0.1 mass% of articlefalse0.0000N,N-dimethylformamide68-12-2Used as electrolyte in ele 0.1 mass% of articlefalse	, ,					
Disodium 4-amino-3-[[4'-[1937-37-7]Used in ink for printers0.1 mass% of articlefalse0.0000Fatty acids, C16-18, lead s 91031-62-8Heat stabilizer for plastic: 0.1 mass% of articlefalse0.0000Formaldehyde50-00-0Textiles0.0075 mass % of textilefalse0.0000Imidazolidine-2-thione; (2 96-45-7used as a catalyst in some 0.1 mass% of articlefalse0.0000Lead chromate7758-97-6Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead chromate7058-97-6Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead cyanamidate20837-86-9Used in anticorrosion coa0.1 mass% of articlefalse0.0000Lead dinitrate10099-74-8Heat stabilizer in nylon ar 0.1 mass% of articlefalse0.0000Lead oxide sulfate12036-76-9Heat stabilizer for PVC us 0.1 mass% of articlefalse0.0000Lead sulfochromate yellov1344-37-2Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead titanium trioxide12060-00-3In piezoelectric compone 0.1 mass% of articlefalse0.0000Lead titanium zirconium o 12626-81-2In piezoelectric compone 0.1 mass% of articlefalse0.0000N-pentyl-isopentylphthala776297-69-9Plasticizer in plastic mate 0.1 mass% of articlefalse0.0000N-pentyl-isopentylphthala776297-69-9Plasticizer in plastic mate 0.1 mass% of articlefalse0.0000N-pentyl-isopentylphthala76297-69-9Plasticizer in plastic mate 0.1 mass% of article		<i>'</i>	Plasticizer in PVC and nitr 0.1	mass% of article	false	0.0000
Fatty acids, C16-18, lead \$ 91031-62-8Heat stabilizer for plastic:0.1 mass% of articlefalse0.0000Formaldehyde50-00-0Textiles0.0075 mass % of textilefalse0.0000Imidazolidine-2-thione; (2 96-45-7used as a catalyst in som(0.1 mass% of articlefalse0.0000Lead chromate7758-97-6Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead chromate7758-97-6Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead chromate7058-97-6Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead chromate20837-86-9Used in anticorrosion coa0.1 mass% of articlefalse0.0000Lead oxide sulfate10099-74-8Heat stabilizer in nylon ar 0.1 mass% of articlefalse0.0000Lead oxide sulfate12036-76-9Heat stabilizer for PVC us 0.1 mass% of articlefalse0.0000Lead sulfochromate yellov1344-37-2Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead titanium trioxide12060-00-3In piezoelectric compone 0.1 mass% of articlefalse0.0000Lead titanium zirconium o12626-81-2In piezoelectric compone 0.1 mass% of articlefalse0.0000N,N-dimethylformamide68-12-2Used as electrolyte in ele 0.1 mass% of articlefalse0.0000N-pentyl-isopentylphthala776297-69-9Plasticizer in plastic mate 0.1 mass% of articlefalse0.0000N-pentyl-isopentylphthala76297-69-9Plasticizer in plastic mate 0.1 mass% of articlefalse<	Disodium 3,3'-[[1,1'-bip	he 573-58-0	Dye for textiles and pape 0.1	mass% of article	false	0.0000
Formaldehyde50-00-0Textiles0.0075 mass % of textilefalse0.0000Imidazolidine-2-thione;(2.96-45-7)used as a catalyst in som(0.1 mass% of articlefalse0.0000Lead chromate7758-97-6Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead chromate7758-97-6Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead chromate20837-86-9Used in anticorrosion coa 0.1 mass% of articlefalse0.0000Lead dinitrate10099-74-8Heat stabilizer in nylon ar 0.1 mass% of articlefalse0.0000Lead oxide sulfate12036-76-9Heat stabilizer for PVC us 0.1 mass% of articlefalse0.0000Lead sulfochromate yellov1344-37-2Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead titanium trioxide12060-00-3In piezoelectric compone 0.1 mass% of articlefalse0.0000Lead titanium zirconium o 12626-81-2In piezoelectric compone 0.1 mass% of articlefalse0.0000N,N-dimethylformamide68-12-2Used as electrolyte in ele 0.1 mass% of articlefalse0.0000N,Pentyl-isopentylphthala776297-69-9Plastic mate 0.1 mass% of articlefalse0.0000Orange lead (lead tetroxid1314-41-6Used in rust-proof primer 0.1 mass% of articlefalse0.0000Pentalecafluorooctanoic:335-67-1PFOA is used as an emuls 0.1 mass% of articlefalse0.0000Pentaleed tetroxid sulp12065-90-6Heat stabilizer for plastic:0.1 mass% of articlefalse0.000	Disodium 4-amino-3-[[4	l'-[1937-37-7	Used in ink for printers 0.1	1 mass% of article	false	0.0000
Imidazolidine-2-thione; (2 96-45-7used as a catalyst in som(0.1 mass% of articlefalse0.0000Lead chromate7758-97-6Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead chromate7758-97-6Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead chromate molybdate12656-85-8Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead cyanamidate20837-86-9Used in anticorrosion coa 0.1 mass% of articlefalse0.0000Lead dinitrate10099-74-8Heat stabilizer in nylon ar 0.1 mass% of articlefalse0.0000Lead sulfate12036-76-9Heat stabilizer for PVC us 0.1 mass% of articlefalse0.0000Lead sulfochromate yellov1344-37-2Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead titanium trioxide12060-00-3In piezoelectric compone 0.1 mass% of articlefalse0.0000Lead titanium zirconium o 12626-81-2In piezoelectric compone 0.1 mass% of articlefalse0.0000N,N-dimethylformamide68-12-2Used as electrolyte in ele 0.1 mass% of articlefalse0.0000N-pentyl-isopentylphthala776297-69-9Plasticizer in plastic mate 0.1 mass% of articlefalse0.0000Orange lead (lead tetroxid1314-41-6Used in rust-proof primer0.1 mass% of articlefalse0.0000Pentalecafluorooctanoici335-67-1PFOA is used as an emuls 0.1 mass% of articlefalse0.0000Pentaleed tetroxid sulp12065-90-6Heat stabilizer for plastic.0.1 mass% of articlefalse	Fatty acids, C16-18, lea	d s 91031-62-8	Heat stabilizer for plastic: 0.1	1 mass% of article	false	0.0000
Lead chromate7758-97-6Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead chromate molybdate12656-85-8Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead cyanamidate20837-86-9Used in anticorrosion coa 0.1 mass% of articlefalse0.0000Lead dinitrate10099-74-8Heat stabilizer in nylon ar 0.1 mass% of articlefalse0.0000Lead oxide sulfate12036-76-9Heat stabilizer for PVC us 0.1 mass% of articlefalse0.0000Lead sulfochromate yellov1344-37-2Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead titanium trioxide12060-00-3In piezoelectric compone 0.1 mass% of articlefalse0.0000Lead titanium zirconium o 12626-81-2In piezoelectric compone 0.1 mass% of articlefalse0.0000N,N-dimethylformamide68-12-2Used as electrolyte in ele 0.1 mass% of articlefalse0.0000N-pentyl-isopentylphthala776297-69-9Plasticizer in plastic mate 0.1 mass% of articlefalse0.0000Orange lead (lead tetroxid1314-41-6Used in rust-proof primer0.1 mass% of articlefalse0.0000Orange lead (lead tetroxid1314-41-6For NPCA is used as an emuls 0.1 mass% of articlefalse0.0000Pentalecafluorooctanoic335-67-1PFOA is used as an emuls 0.1 mass% of articlefalse0.0000Pentaleed tetroxide sulp112065-90-6Heat stabilizer for plastic:0.1 mass% of articlefalse0.0000	Formaldehyde	50-00-0	Textiles 0.0	075 mass % of textile	false	0.0000
Lead chromate molybdate 12656-85-8Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead cyanamidate20837-86-9Used in anticorrosion coa 0.1 mass% of articlefalse0.0000Lead dinitrate10099-74-8Heat stabilizer in nylon ar 0.1 mass% of articlefalse0.0000Lead oxide sulfate12036-76-9Heat stabilizer for PVC us 0.1 mass% of articlefalse0.0000Lead sulfochromate yellov1344-37-2Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead titanium trioxide12060-00-3In piezoelectric compone 0.1 mass% of articlefalse0.0000Lead titanium zirconium o 12626-81-2In piezoelectric compone 0.1 mass% of articlefalse0.0000N,N-dimethylformamide68-12-2Used as electrolyte in ele 0.1 mass% of articlefalse0.0000N-pentyl-isopentylphthala776297-69-9Plastic mate 0.1 mass% of articlefalse0.0000Orange lead (lead tetroxid1314-41-6Used in rust-proof primer0.1 mass% of articlefalse0.0000Pentadecafluorooctanoic :335-67-1PFOA is used as an emuls 0.1 mass% of articlefalse0.0000Pentalead tetraoxide sulp112065-90-6Heat stabilizer for plastic:0.1 mass% of articlefalse0.0000	Imidazolidine-2-thione;	(296-45-7	used as a catalyst in some0.1	mass% of article	false	0.0000
Lead cyanamidate20837-86-9Used in anticorrosion coa 0.1 mass% of articlefalse0.0000Lead dinitrate10099-74-8Heat stabilizer in nylon ar 0.1 mass% of articlefalse0.0000Lead oxide sulfate12036-76-9Heat stabilizer for PVC us 0.1 mass% of articlefalse0.0000Lead sulfochromate yellov1344-37-2Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead titanium trioxide12060-00-3In piezoelectric compone 0.1 mass% of articlefalse0.0000Lead titanium zirconium o 12626-81-2In piezoelectric compone 0.1 mass% of articlefalse0.0000N,N-dimethylformamide68-12-2Used as electrolyte in ele 0.1 mass% of articlefalse0.0000N-pentyl-isopentylphthala776297-69-9Plasticizer in plastic mate 0.1 mass% of articlefalse0.0000Orange lead (lead tetroxid1314-41-6Used in rust-proof primer0.1 mass% of articlefalse0.0000Pentadecafluorooctanoic :335-67-1PFOA is used as an emuls 0.1 mass% of articlefalse0.0000Pentalead tetroxide sulp112065-90-6Heat stabilizer for plastic:0.1 mass% of articlefalse0.0000	Lead chromate	7758-97-6	Colorant in plastics; Color 0.1	mass% of article	false	0.0000
Lead dinitrate10099-74-8Heat stabilizer in nylon ar 0.1 mass% of articlefalse0.0000Lead oxide sulfate12036-76-9Heat stabilizer for PVC us 0.1 mass% of articlefalse0.0000Lead sulfochromate yellov1344-37-2Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead titanium trioxide12060-00-3In piezoelectric compone 0.1 mass% of articlefalse0.0000Lead titanium zirconium o 12626-81-2In piezoelectric compone 0.1 mass% of articlefalse0.0000N,N-dimethylformamide68-12-2Used as electrolyte in ele 0.1 mass% of articlefalse0.0000N-pentyl-isopentylphthala776297-69-9Plasticizer in plastic mate 0.1 mass% of articlefalse0.0000Orange lead (lead tetroxid1314-41-6Used in rust-proof primer0.1 mass% of articlefalse0.0000Pentadecafluorooctanoic :335-67-1PFOA is used as an emuls 0.1 mass% of articlefalse0.0000Pentalead tetroxide sulp112065-90-6Heat stabilizer for plastic:0.1 mass% of articlefalse0.0000	Lead chromate molybd	ate12656-85-8	Colorant in plastics; Color 0.1	mass% of article	false	0.0000
Lead oxide sulfate12036-76-9Heat stabilizer for PVC us 0.1 mass% of articlefalse0.0000Lead sulfochromate yellov1344-37-2Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead titanium trioxide12060-00-3In piezoelectric compone 0.1 mass% of articlefalse0.0000Lead titanium zirconium o 12626-81-2In piezoelectric compone 0.1 mass% of articlefalse0.0000N,N-dimethylformamide68-12-2Used as electrolyte in ele 0.1 mass% of articlefalse0.0000N-pentyl-isopentylphthala776297-69-9Plasticizer in plastic mate 0.1 mass% of articlefalse0.0000Orange lead (lead tetroxid1314-41-6Used in rust-proof primer 0.1 mass% of articlefalse0.0000Pentadecafluorooctanoic :335-67-1PFOA is used as an emuls 0.1 mass% of articlefalse0.0000Pentalead tetroxide sulp12065-90-6Heat stabilizer for plastic:0.1 mass% of articlefalse0.0000	Lead cyanamidate	20837-86-9	Used in anticorrosion coa0.1	mass% of article	false	0.0000
Lead sulfochromate yellov1344-37-2Colorant in plastics; Color 0.1 mass% of articlefalse0.0000Lead titanium trioxide12060-00-3In piezoelectric compone 0.1 mass% of articlefalse0.0000Lead titanium zirconium o 12626-81-2In piezoelectric compone 0.1 mass% of articlefalse0.0000N,N-dimethylformamide68-12-2Used as electrolyte in ele·0.1 mass% of articlefalse0.0000N-pentyl-isopentylphthala776297-69-9Plasticizer in plastic mate 0.1 mass% of articlefalse0.0000Orange lead (lead tetroxid1314-41-6Used in rust-proof primer 0.1 mass% of articlefalse0.0000Pentadecafluorooctanoic :335-67-1PFOA is used as an emuls 0.1 mass% of articlefalse0.0000Pentalead tetroxide sulp12065-90-6Heat stabilizer for plastic:0.1 mass% of articlefalse0.0000	Lead dinitrate	10099-74-8	Heat stabilizer in nylon ar 0.1	mass% of article	false	0.0000
Lead titanium trioxide12060-00-3In piezoelectric compone 0.1 mass% of articlefalse0.0000Lead titanium zirconium o 12626-81-2In piezoelectric compone 0.1 mass% of articlefalse0.0000N,N-dimethylformamide68-12-2Used as electrolyte in ele 0.1 mass% of articlefalse0.0000N-pentyl-isopentylphthala776297-69-9Plasticizer in plastic mate 0.1 mass% of articlefalse0.0000Orange lead (lead tetroxid1314-41-6Used in rust-proof primer 0.1 mass% of articlefalse0.0000Pentadecafluorooctanoic :335-67-1PFOA is used as an emuls 0.1 mass% of articlefalse0.0000Pentalead tetroxid sulp112065-90-6Heat stabilizer for plastic:0.1 mass% of articlefalse0.0000	Lead oxide sulfate	12036-76-9	Heat stabilizer for PVC us 0.1	mass% of article	false	0.0000
Lead titanium zirconium o 12626-81-2In piezoelectric compone 0.1 mass% of articlefalse0.0000N,N-dimethylformamide68-12-2Used as electrolyte in ele 0.1 mass% of articlefalse0.0000N-pentyl-isopentylphthala776297-69-9Plasticizer in plastic mate 0.1 mass% of articlefalse0.0000Orange lead (lead tetroxid1314-41-6Used in rust-proof primer 0.1 mass% of articlefalse0.0000Pentadecafluorooctanoic :335-67-1PFOA is used as an emuls 0.1 mass% of articlefalse0.0000Pentalead tetroxid sulp12065-90-6Heat stabilizer for plastic: 0.1 mass% of articlefalse0.0000	Lead sulfochromate ye	lov1344-37-2	Colorant in plastics; Color 0.1	mass% of article	false	0.0000
N,N-dimethylformamide 68-12-2 Used as electrolyte in ele 0.1 mass% of article false 0.0000 N-pentyl-isopentylphthala 776297-69-9 Plasticizer in plastic mate 0.1 mass% of article false 0.0000 Orange lead (lead tetroxid1314-41-6 Used in rust-proof primer 0.1 mass% of article false 0.0000 Pentadecafluorooctanoic :335-67-1 PFOA is used as an emuls 0.1 mass% of article false 0.0000 Pentalead tetroxid sulpl12065-90-6 Heat stabilizer for plastic:0.1 mass% of article false 0.0000	Lead titanium trioxide	12060-00-3	In piezoelectric compone 0.1	mass% of article	false	0.0000
N-pentyl-isopentylphthala776297-69-9 Plasticizer in plastic mate 0.1 mass% of article false 0.0000 Orange lead (lead tetroxid1314-41-6 Used in rust-proof primer 0.1 mass% of article false 0.0000 Pentadecafluorooctanoic :335-67-1 PFOA is used as an emuls 0.1 mass% of article false 0.0000 Pentalead tetroxid sulpl12065-90-6 Heat stabilizer for plastic:0.1 mass% of article false 0.0000	Lead titanium zirconiur	n o 12626-81-2	In piezoelectric compone 0.1	mass% of article	false	0.0000
Orange lead (lead tetroxid1314-41-6 Used in rust-proof primer0.1 mass% of article false 0.0000 Pentadecafluorooctanoic :335-67-1 PFOA is used as an emuls 0.1 mass% of article false 0.0000 Pentalead tetroxid sulpl12065-90-6 Heat stabilizer for plastic:0.1 mass% of article false 0.0000	N,N-dimethylformamid	e 68-12-2	Used as electrolyte in ele 0.1	mass% of article	false	0.0000
Pentadecafluorooctanoic :335-67-1 PFOA is used as an emuls 0.1 mass% of article false 0.0000 Pentalead tetraoxide sulpl12065-90-6 Heat stabilizer for plastic: 0.1 mass% of article false 0.0000	N-pentyl-isopentylphth	ala 776297-69-9	Plasticizer in plastic mate 0.1	mass% of article	false	0.0000
Pentalead tetraoxide sulpl12065-90-6 Heat stabilizer for plastic: 0.1 mass% of article false 0.0000	Orange lead (lead tetro	xid1314-41-6	Used in rust-proof primer 0.1	mass% of article	false	0.0000
	Pentadecafluorooctanc	ic :335-67-1	PFOA is used as an emuls 0.1	mass% of article	false	0.0000
Pentazing chromate octab 49662-84-5 Colorant 0.1 mass% of article false 0.0000	Pentalead tetraoxide su	ılpl12065-90-6	Heat stabilizer for plastic: 0.1	mass% of article	false	0.0000
	Pentazinc chromate oc	ah 49663-84-5	Colorant 0.1	mass% of article	false	0.0000
Potassium hydroxyoctaox 11103-86-9 Paint, anti-corrosion 0.1 mass% of article false 0.0000	Potassium hydroxyocta	ox(11103-86-9	Paint, anti-corrosion 0.1	mass% of article	false	0.0000
Pyrochlore, antimony lead 8012-00-8 Used as yellow pigment fi 0.1 mass% of article false 0.0000	Pyrochlore, antimony le	ead8012-00-8	Used as yellow pigment f 0.1	mass% of article	false	0.0000
reaction mass of 2-ethylhexyl 10-ethyl-4,4- PVC stabilizer 0.1 mass% of article false 0.0000	reaction mass of 2-ethy	hexyl 10-ethyl-4,4			false	0.0000
Silicic acid (H2Si2O5), bari 68784-75-8 Used in UV emitting light 0.1 mass% of article false 0.0000	Silicic acid (H2Si2O5), b	ari 68784-75-8	Used in UV emitting light 0.1	mass% of article	false	0.0000
Strontium chromate 7789-06-2 Pigment; corrosion resist: 0.1 mass% of article false 0.0000	Strontium chromate	7789-06-2			false	0.0000
Sulfurous acid, lead salt, d 62229-08-7 Heat stabilizer for PVC, fc 0.1 mass% of article false 0.0000	Sulfurous acid, lead sal	t, d 62229-08-7	Heat stabilizer for PVC, fc0.1	mass% of article	false	0.0000
Tetralead trioxide sulphat 12202-17-4 Heat stabilizer for PVC, fc 0.1 mass% of article false 0.0000	Tetralead trioxide sulpl	nat/12202-17-4	Heat stabilizer for PVC, fc0.1	mass% of article	false	0.0000
Trilead dioxide phosphon:12141-20-7 Heat stabilizer for PVC, fc 0.1 mass% of article false 0.0000	Trilead dioxide phosph	ona12141-20-7	Heat stabilizer for PVC, fc0.1	mass% of article	false	0.0000
Tris(2-chloroethyl)phosph 115-96-8 Flame retardant 0.1 mass% of article false 0.0000			Flame retardant 0.1	mass% of article	false	0.0000
Trixylyl phosphate 25155-23-1 Used as a plasticizer for v 0.1 mass% of article false 0.0000			Used as a plasticizer for v 0.1	mass% of article	false	0.0000